

Schedule of Items and Priced Quotation (Form e-SG-1)

Item Name and Descript Unit Technical SpecificTotal Price in Figure [In Nu.]

				B.D Commercial	WOEZER ENTERPRISE	R. K Enterprise	D.D Shop	VIVIAN ENTERPRISE	DRUK WANGMO SUPPLIER	Druk Scientific Supplier (DSS)	GAUTAM POULTRY EQUIPMENTS & GENERAL SHOP	Jain Metal
0.0	DAIRY COMMODITY	no	NA									
1.0	Milking bucket	No	Stainless steel SS304 with lid, 5 ltrs capacity	1290.000	850.000	2994.000	1268.000	0.000	548.000	700.000	739.000	525.000
2.0	Milking bucket	No	Stainless steel SS304 with lid, 10 ltrs capacity	2890.000	1100.000	4449.000	1852.000	0.000	720.000	850.000	1039.000	565.000
3.0	Milk carry can	No	Stainless steel SS304 with lid, 5 litrs capacity	1290.000	900.000	2499.000	1079.000	0.000	903.000	1382.000	750.000	1350.000
4.0	Milk carry can	No	Stainless steel SS304 with lid, 10 litrs capacity	2890.000	1200.000	4449.000	2298.000	0.000	1275.000	2323.000	1249.000	1666.000
5.0	Milk carry can	No	Stainless steel SS304 with lid, 10 litrs capacity	2890.000	1350.000	4449.000	2298.000	0.000	1380.000	2323.000	1350.000	1666.000
6.0	Milk carry can	No	Stainless steel SS304 with lid, 20 litrs capacity	8490.000	2500.000	6499.000	5319.000	0.000	3999.000	4800.000	3400.000	3511.000
7.0	Milk carry can	No	Stainless steel SS304 with lid, 40 litrs capacity	11490.000	5800.000	7499.000	6145.000	0.000	4999.000	10105.000	4400.000	4350.000
8.0	Skim milk storage bucket	No	Stainless steel SS304 with lid, 50 litrs capacity	14490.000	18500.000	0.000	0.000	0.000	6090.000	0.000	5480.000	3650.000
9.0	Bowl	No	Stainless steel SS304 with lid, 50 litrs capacity	1490.000	3200.000	0.000	0.000	0.000	6335.000	8400.000	4950.000	6155.000
10.0	Cool box	No	20 ltrs with carry on strap	1449.000	2500.000	7994.000	3832.000	0.000	2399.000	2700.000	1850.000	3062.000
11.0	Cool box	No	40 ltrs with carry on strap	2749.000	3500.000	9999.000	8925.000	0.000	2987.000	3400.000	3200.000	2300.000
12.0	Cool box	No	10 ltrs with carry on strap	1449.000	1850.000	6499.000	2205.000	0.000	1987.000	1605.000	1400.000	1150.000
13.0	Cream Separator	No	Lakshmi (Model Ae-108). Electric Cream Separator 550 lph. All milk contacting parts made from stainless steel AISI 304 with 1/2 H P Single Phase ELeetric Motor)	93490.000	35000.000	149994.000	109460.000	0.000	78960.000	132000.000	78500.000	95000.000
14.0	Water boiler	No	200-300 L capacity	89490.000	4800.000	89994.000	0.000	0.000	117900.000	0.000	76500.000	31500.000

15.0	PVC strip curtain	Per roll	Polar grade pvc (164'x8"x0.08" thick, white colour	2890.000	9500.000	44449.000	0.000	0.000	13680.000	0.000	0.000	8510.000
16.0	Rack	No	Perforated Shelves For Ventilation Of Cooling, 16 SWG Or 18 SWG Shelves For Higher Strength, AISI SS 304 Material For Durability And Long Life. Also Available In Adjustable Shelves Mode.	19490.000	125000.000	34994.000	0.000	0.000	29921.000	0.000	395000.000	49500.000
17.0	Platform trolley	Per set	Load Capacity 50kg- 1ton, Color Silver, Country of Origin Stainless Steel Platform Trolley SS 304 Matt finish.	18490.000	13500.000	24994.000	31350.000	0.000	14520.000	0.000	28000.000	6500.000
18.0	Milking machine	No	Model MM 101: Electric motor 220/380V 0.75/1.1KW driven. It is trolley mounted with One Can and One Cluster with high quality component like one adjustable pulsator, set of liners and teat cups, milk claw, vacuum controller of 240 LPM, 50 kPa, 1440 RPM	59490.000	40000.000	59994.000	31070.000	0.000	69750.000	45000.000	32800.000	55000.000
19.0	Milk measuring Jug	Per set	Stainless steel 100ml, 200ml,500ml and 1000ml	980.000	1500.000	14994.000	1060.000	0.000	923.000	1900.000	1250.000	1350.000
20.0	Digital Thermometer	No	0 -100 degree celcius	450.000	1200.000	18994.000	0.000	0.000	210.000	340.000	380.000	240.000
21.0	Lactometer	No	Zeal type, 0-40 graduation as per ISI specification	498.000	1500.000	899.000	0.000	0.000	49.000	88.000	35.000	120.000

22.0	Lactometer Jar	No	NA	698.000	950.000	749.000	0.000	0.000	27.000	52.000	38.000	350.000
23.0	Food processing hair net	No	Disposal and white colour	9.000	20.000	399.000	10.000	0.000	6.000	350.000	3.500	2.500
24.0	Thermophilic yogurt culture	Per Sachet	Chr. Hansen. Sachet of granular culture producing a mild taste and is suitable for cup-set, stirred and drinking yogurt. Contains: Lactobacillus delbrueckii subsp. bulgaricus, Streptococcus thermophilus	1890.000	1850.000	1994.000	0.000	0.000	999.000	0.000	980.000	128.000
25.0	Motor for Cream Separator	No	Electrically operated cream separator for 90L capacity	23490.000	13500.000	28994.000	9500.000	0.000	7800.000	10600.000	3450.000	12000.000
26.0	Motor for Cream Separator	No	Electrically operated cream separator for 60L capacity	18490.000	9500.000	18994.000	9500.000	0.000	7200.000	10600.000	3200.000	10000.000
27.0	Plastic yogurt cups with lid	Per Piece	200 ml capacity with printing on cups as per design provided	7.000	10.000	9.000	0.000	0.000	4.990	5.800	3.900	3.950
28.0	Plastic yogurt cups with lid	Per Piece	500 ml capacity with printing on cups as per design provided	9.000	10.000	17.000	0.000	0.000	6.990	0.000	7.500	5.600
29.0	Plastic yogurt cups with lid	Per Piece	1000 ml capacity with printing on cups as per design provided	14.000	15.000	29.000	0.000	0.000	8.990	0.000	16.000	9.300

30.0	Incubation Chamber Walk in incubator	Per set	45-50°C with automatic temperature controller, illumination system and mechanism to ensure even distribution of heat in chamber (2.5mx2.5mx3m)	189490.00	685000.000	499994.000	0.000	0.000	797721.000	0.000	0.000	19500.000
31.0	Cold Storage	Per set	Walk in cold room constructed from PUF panels with temperature range of 1-7°C, Unit should have automatic temperature controller, illumination system and mechanism to ensure even distribution of cold air (3mx3mx3m)	0.000	875000.000	594994.000	0.000	0.000	765498.000	0.000	432000.000	320000.000
32.0	Universal AI gun	Per Piece	Imported for bovine with all sheath types, both 0.24ml and 0.5ml semen straws (IMV/Minitube)	949.000	2500.000	4449.000	0.000	0.000	3298.000	3600.000	1130.000	950.000
33.0	AI Transparent Sheath	Per Piece	AI/ET sanitary sheath for AI&ET standard size (IMV/Minitube)	119.000	250.000	2499.000	0.000	0.000	499.000	430.000	95.000	135.000
34.0	Semen Straw Cutter	Per Piece	Manual semen straw cutter ergonomic shape, precise cut of 0.25 & 0.5 ml straws. Easy to keep clean	898.000	3500.000	1994.000	0.000	0.000	643.000	1300.000	95.000	300.000
35.0	AI Kit Box	Per set	Ruggedly designed to withstand years of usage for sanitary storage of AI items	79490.000	4500.000	12994.000	0.000	0.000	3798.000	0.000	0.000	160.000

36.0	AI Apron	Per Piece	Professional full length apron, light weight, waterproof, washable fabric, durable, adjustable straps/belt at the neck and waist. Export quality	1249.000	1200.000	1994.000	0.000	0.000	976.000	450.000	750.000	270.000
37.0	Muslin Cloth	Per meter	NA	249.000	350.000	79.000	0.000	0.000	165.000	205.000	75.000	150.000
38.0	LN2 container (Reserve Can)	No	30-35 liters range with side ring & bottom pad for LN2 storage. Export quality	0.000	25500.000	99894.000	0.000	0.000	31999.000	28500.000	28800.000	29990.000
39.0	LN2 container (Semen Bank)	No	30-35 liters with canister for storage of frozen semen	0.000	26300.000	79994.000	0.000	0.000	33599.000	30000.000	29400.000	29999.000
40.0	LN2 Container (Transport Can)	No	50-55 liters range with side ring and bottom pad for LN2 storage	0.000	28000.000	84994.000	0.000	0.000	36799.000	29000.000	31700.000	34500.000
41.0	Dip stick	No	AI tank dip stick 65cm/45 inches length, durable and flexible dipstick	0.000	850.000	14994.000	0.000	0.000	1140.000	490.000	420.000	425.000
42.0	AI Gloves	Per Pkt	Export quality	599.000	650.000	499.000	0.000	0.000	585.000	2200.000	240.000	350.000
43.0	Chaff Cutter Machine	Per set	Upto 200 kg/hr cutting capacity; 1-3 HP power; Electric Motor; Machine feed for dry grass, green grass, stove, corn; Speed of 1440 RPM/50 HZ, single phase power unit, 3.0 HP electrical motor,	18490.000	85000.000	39994.000	53300.000	0.000	23987.000	28275.000	28500.000	45000.000

44.0	Rubber cow mat	Per Piece	Rubber + EVA Grade Premium, Size of 23mm Thick x 4ft. Wide x 7ft. Long, 14-15 Kgs weight, Top Surface Hexa Design, Bottom Surface Drain Channel, Colour Black	8490.000	9500.000	5499.000	5150.000	0.000	3954.000	12000.000	3200.000	4600.000
45.0	Milk Pasteurizer (Vat)	Per set	200 liters capacity,220/415 voltage, Stainless Steel, standard design, Semi-Automatic, Electrically operated, 3 phase power supply (415 V/ 1-phase, 220 V), 2 mm inner jacket thickness, 150 grits finishing, 50 Hz frequency, 10 KW heater power, 0.5 horsepower, SS 304 material grade, Triple walled vessel in cylindrical and vertical de Weight 150 kg Apprx.	249490.00	495000.000	394994.000	228150.00	0.000	232500.000	173000.000	188000.000	170000.000
46.0	Butter Churner	Per set	100 L capacity, Stainless Steel, Carbon Steel, SS 304, 316 material grade, eletrically operated, 230 V, 50 Hz power supply	157490.00	75000.000	249994.000	154050.00	0.000	149981.000	185000.000	93000.000	89000.000
47.0	Butter Churner	Per set	200 L capacity, Stainless Steel, Carbon Steel, SS 304, 316 material grade, eletrically operated, 230 V, 50 Hz power supply	157490.00	165000.000	349994.000	256750.00	0.000	228975.000	356000.000	144000.000	145000.000

48.0	Yogurt Incubator	Per set	200 L capacity, SS304 material grade, Single phase power, 220 /440 V	0.000	245000.000	379994.000	146640.000	0.000	123960.000	68000.000	44000.000	195000.000
0.0	POULTRY COMMODITY	no	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
49.0	Scalding tank for chicken	Set	(CKCST02, 10 birds per batch, commercial, Stainless Steel 304 Grade, dimension 600mm)	34490.000	0.000	84994.000	0.000	0.000	69750.000	0.000	118000.000	0.000
50.0	Evisceration spoon for chicken	Set	NA	649.000	0.000	3449.000	0.000	0.000	1320.000	0.000	5800.000	0.000
51.0	Chicken evisceration table	Set	(SS304 Food grade steel Constructed, Size 1800 x 1200 x 950 mm Height, Plastic Bin to Collect Offal, Plastic Creates to collect edible parts, Trolley to convey offal and meat, Deboning cone to debone meat)	37490.000	0.000	34994.000	0.000	0.000	49800.000	275000.000	115000.000	0.000
52.0	Defeathering machine	Set	Bird Capacity: 30 Birds per batch and processing time in 5-10 minutes per batch, 2 hp motor power, stainless Steel (SS)	26980.000	0.000	299994.000	0.000	0.000	258900.000	48000.000	88000.000	0.000
53.0	Chicken stunning machine	Set	NA	0.000	0.000	194994.000	0.000	0.000	171300.000	0.000	280000.000	0.000
54.0	Hot watter thermometer	Set	NA	1649.000	0.000	44994.000	0.000	0.000	210.000	0.000	6500.000	0.000
55.0	Auto vaccinator	set	Vaccman 0.2cc, 0.25cc, 0.3cc, 0.4cc 0.5cc, 0.6cc & 0.75cc Vaccinator	11490.000	0.000	3994.000	0.000	0.000	2520.000	2280.000	2800.000	0.000
56.0	Chick brooder	Set	No of birds per brooder: 1000 birds, Max. Electricity per hour: 1.5 unit Coil: 300 watt.	4890.000	0.000	4994.000	0.000	0.000	4890.000	6600.000	3400.000	0.000

57.0	Debeaking machine	Set	Automatic, model no: CK 1	38490.000	0.000	34994.000	0.000	0.000	10275.000	21000.000	10950.000	0.000
58.0	Chick crate	Set	Dimensions(LXBXH) - 20"x13"x5.75", Weight - 1630 grams, material-plastic	2490.000	0.000	749.000	0.000	0.000	1209.000	1500.000	840.000	0.000
59.0	Plastic egg tray	Set	Size: 28X28X5 cm, Material: PP, Usage: Eggs Packaging	89.000	0.000	99.000	0.000	0.000	51.000	100.000	47.000	0.000
60.0	Feeder	set	Feed Quantity 8-12 Kg, Type of Feeder Circular, Brand Poly Plastic	949.000	0.000	649.000	0.000	0.000	360.000	1600.000	289.000	0.000
61.0	Automatic Bell Drinkers	set	Height 460mm, Diameter 330mm, drinking capacity 100 birds per drinker, Water Pressure of 0.15 to 0.2 bar, Weight 0.950kg	89.000	0.000	749.000	0.000	0.000	372.000	1400.000	380.000	0.000
62.0	Egg tray	No	pulp egg tray should accommodate 30 eggs in a tray.	10.000	35.000	9.000	0.000	0.000	7.000	0.000	470.000	0.000
63.0	Egg Carton	No	Ordinary and good quality	18.000	50.000	99.000	0.000	0.000	189.000	0.000	29.000	0.000
0.0	PIGGERY COMMODITY	0.0	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
64.0	Scalding/dehairing machine for pig slaughter	Set	NA	0.000	0.000	1494994.000	0.000	0.000	0.000	0.000	0.000	0.000
65.0	Electric pig stunner	Set	Hand held light weight electric pig stunner hog slaughtering	0.000	0.000	94994.000	0.000	0.000	0.000	0.000	0.000	0.000
66.0	Pig carcass splitting band saw	Set	NA	0.000	0.000	399994.000	0.000	0.000	87300.000	0.000	0.000	0.000
67.0	Hot water thermometer	Set	NA	0.000	0.000	24994.000	0.000	0.000	240.000	0.000	430.000	750.000

68.0	Steel rack for cold storage	No.	Perforated Shelves For Ventilation Of Cooling, 16 SWG Or 18 SWG Shelves For Higher Strength, AISI SS 304 Material For Durability And Long Life. Also Available In Adjustable Shelves Mode.	0.000	0.000	28994.000	0.000	0.000	29939.000	0.000	395000.000	49000.000
69.0	Crates for meat storage & transportation	No.	Plastic, 60x40x20cm dimension, 20 kg capacity, weight 2kgs.	0.000	0.000	599.000	1250.000	0.000	1398.000	0.000	1350.000	1250.000
70.0	Wheel barrow	No.	Dimensions: 620mm(w) x 600(h) x 1400mm(l, Weight: 4kg, Pan Capacity: 65litre, Pan Gauge: 1.2mm, Frame: 32mm x 2mm round steel tube, Wheel - Hub: two metal half hubs fixed with five bolts, and Tyre: 4ply	0.000	6500.000	8499.000	12500.000	5500.000	11175.000	0.000	9500.000	0.000
71.0	Iron Gate	No.	90cm x 65 cm	0.000	25000.000	7994.000	0.000	22000.000	0.000	0.000	1950.000	0.000
72.0	Iron rod	No.	10mm x 3meters	0.000	950.000	499.000	0.000	650.000	0.000	0.000	122.000	0.000
73.0	Roof iron pipe	No.	1.5"x4mmx20feet	0.000	3100.000	2849.000	0.000	1777.000	0.000	0.000	1450.000	0.000
74.0	Eletrical service cable	Per meter	2 core 6mm	0.000	95.000	174.000	0.000	90.000	0.000	0.000	30.000	0.000
0.0	FISHERY COMMODITY	0.0	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
75.0	Vaccum Machine	No.	Table top model, stainless steel, single chamber, voltage (220 v/50 Hz), motor power 750 W, sealing power 500 W, ultimate vacuum pressure	8490.000	0.000	179994.000	39500.000	50000.000	79876.000	103700.000	54000.000	35000.000
76.0	Deep Freezer	No.	300 Ltrs capacity	43490.000	39000.000	49994.000	27850.000	0.000	27674.000	48000.000	24000.000	25379.000

77.0	Deep Freezer	No.	500 Ltrs capacity	73490.000	55000.000	64994.000	34800.000	0.000	36876.000	52000.000	33400.000	33999.000
78.0	Display Refrigerator	No.	500 liters capacity with self closing single glass door display refrigerator, adjustable wire shelves, internal LED lighting, digital temperature display, fan forced ducted air flow	98490.000	85000.000	99994.000	62220.000	0.000	52987.000	68000.000	54900.000	55000.000
79.0	Display Refrigerator	No.	1000 liters capacity double door with self-closing double glazed and toughened safety glass, adjustable wire shelves, internal LED lighting, digital temperature display fan forced ducted airflow. Temperature range from 0-10°C	98490.000	125000.000	149994.000	97999.000	0.000	105987.000	167000.000	102000.000	105000.000
80.0	Vaccum packaging plastics	No.	Polyethylene/pol ypropylene vacuum puch film with easy peel option for packing block cheese; co-extruded plastic film with water vapour, oxygen barrier and high puncture resistence with thickness 100-300 microns, Size:35cmx25cm (Length x Breath)	2490.000	230.000	1994.000	0.000	0.000	18.000	0.000	1750.000	11.000

81.0	Self-stick (self adhesive) Label (coloured printed)	No.	Size: 2 x 3 inches (5.08 x 7.62 cm) and as per the design provided	2.000	0.000	2494.000	0.000	0.000	4.000	0.000	0.000	650.000
82.0	Fry drag net	No.	Size of 30m length x 15m breath	0.000	0.000	34994.000	0.000	0.000	0.000	0.000	58000.000	7500.000
83.0	Cast net	No.	5kg	0.000	0.000	8499.000	0.000	0.000	3675.000	0.000	16000.000	5500.000
84.0	DO meter	No.	Pen type (imported)	19900.000	58000.000	18499.000	0.000	0.000	2220.000	36000.000	1450.000	8900.000
85.0	PH meter	No.	Pen type (imported)	3490.000	6500.000	14449.000	0.000	0.000	1020.000	12000.000	1450.000	750.000
86.0	Thermometer	No.	Pen type (imported)	0.000	6500.000	29994.000	0.000	0.000	195.000	509.000	450.000	145.000
87.0	Transportation Crate	No.	30 kg capacity, hard plastic, foldable	0.000	1200.000	699.000	0.000	0.000	930.000	0.000	1450.000	1150.000
88.0	Stainless steel processing table	No.	Made out of 1.5 mm stainless-steel (quality 304) free from scales • Polished surface with no sharp edges or welded parts • Leg bracing are required and must be stable on ground • Table Size- 1.5x0.6m (LxW) with standard height (2 side wall mounted- Back and right side)	0.000	0.000	8994.000	39000.000	0.000	27931.000	76000.000	115000.000	23000.000
89.0	Vaccum machine	No.	Single chamber Vaccum packing; flat working surface for easy operation; no sharp edges; castor wheels installed; optimal gas flush facility; made from cast aluminium or stainless steel; 2 sealing bars on each side	0.000	0.000	0.000	52500.000	0.000	79821.000	139000.000	64000.000	61350.000

90.0	Water testing Kit	Set	Test for ph, ammonia, nitrite, nitrate, hardness, alkalinity, phosphorous, chlorine with manual booklet	0.000	0.000	24994.000	3500.000	0.000	7865.000	0.000	8700.000	550.000
91.0	Bench scale	No.	Material- Stainless steel; Capacity- up to 100 kgs; dust proof indicator; chargeable and work without power supply	0.000	0.000	12994.000	10500.000	0.000	965.000	17500.000	7800.000	7700.000
0.0	APICULTURE COMMODITY	no	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
92.0	Honey Sieve	No.	steel made	0.000	0.000	6499.000	0.000	0.000	1980.000	13415.000	0.000	3200.000
93.0	Uncapping Fork	No.	steel made	0.000	0.000	9994.000	0.000	0.000	338.000	8265.000	0.000	2100.000
94.0	Dangri	No.	beekeeping suit	0.000	0.000	5949.000	0.000	0.000	3975.000	6670.000	0.000	2250.000
95.0	Gumboot	No.	Good quality for colony inspection	0.000	0.000	649.000	0.000	650.000	1020.000	0.000	1450.000	1150.000
96.0	Swarm Bag	No.	Good quality (imported)	0.000	0.000	3449.000	0.000	0.000	1020.000	352.000	0.000	690.000
97.0	Veil	No.	Imported	0.000	0.000	0.000	0.000	0.000	638.000	1027.000	0.000	510.000
98.0	Smoker	No.	Good quality	0.000	0.000	2994.000	0.000	0.000	1920.000	1855.000	0.000	1550.000
99.0	Hive Tool	No.	Good quality	0.000	0.000	1994.000	0.000	0.000	278.000	577.000	0.000	270.000
100.	Hive transportation rope	Pair/P kt	Good quality	0.000	0.000	5499.000	0.000	0.000	1020.000	0.000	0.000	650.000
101.	Honey Barrel	No.	with top lid lock system, 50 ltrs capacity	0.000	0.000	4449.000	0.000	0.000	7290.000	5000.000	0.000	1450.000
102.	Honey Barrel	No.	with top lid lock system, 15 ltrs capacity	0.000	0.000	2849.000	0.000	0.000	2820.000	4000.000	0.000	1050.000
103.	Queen Gate	No.	NA	0.000	0.000	994.000	0.000	0.000	218.000	30.000	0.000	140.000
104.	Bee Wax	No.	Fresh	0.000	0.000	14994.000	0.000	0.000	735.000	2200.000	0.000	650.000
105.	Queen Excluder	No.	NA	0.000	0.000	0.000	0.000	0.000	579.000	144.000	0.000	120.000
0.0	GENERAL	no	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
106.	CGI sheet, 6' (Jindal)	Per piece	0.50mm thickness, GI material	0.000	530.000	569.000	0.000	499.000	608.000	0.000	540.000	612.000
107.	CGI sheet, 6' (Jindal)	Per piece	0.45mm thickness, GI material	0.000	525.000	499.000	0.000	433.000	507.000	0.000	530.000	522.000
108.	CGI sheet, 8' (Jindal)	Per piece	0.50mm thickness, GI material	0.000	710.000	754.000	0.000	666.000	810.000	0.000	720.000	816.000
109.	CGI sheet, 8' (Jindal)	Per piece	0.45mm thickness, GI material	0.000	690.000	664.000	0.000	577.000	675.000	0.000	700.000	696.000
110.	CGI sheet, 10' (Jindal)	Per piece	0.50mm thickness, GI material	0.000	905.000	969.000	0.000	857.000	1040.000	0.000	928.000	1044.000

111.	CGI sheet, 10' (Jindal)	Per piece	0.45mm thickness, GI material	0.000	890.000	843.000	0.000	742.000	851.000	0.000	905.000	900.000
112.	CGI sheet, 12' (Jindal)	Per piece	0.50mm thickness, GI material	0.000	1063.000	1129.000	0.000	1000.000	1215.000	0.000	1083.000	1224.000
113.	CGI sheet, 12' (Jindal)	Per piece	0.45mm thickness, GI material	0.000	1050.000	999.000	0.000	866.000	993.000	0.000	1070.000	1056.000
114.	GI welded mesh	sq.ft	75x25mm	0.000	24.000	19.000	0.000	18.000	109.000	0.000	26.000	45.000
115.	CGI ridging sheet	Set	6' x 18", 0.50mm	0.000	310.000	479.000	0.000	450.000	589.000	0.000	460.000	850.000
116.	Concrete Common Brick (2nd class)	Per piece	Standard size of 440mm x 100mm x 215mm	0.000	16.000	19.000	0.000	20.000	0.000	0.000	23.500	12.200
0.0	ANIMAL HEALTH & BREEDING	no	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
117.	Otoscope/Ophthalmoscope	Set	Brand: HEINE, Model number: mini3000 Led otoscope and ophthalmoscope , Type: Direct ophthalmoscope, Illumination type: LED, Input voltage: 1.5V, Lens range:- 200to +200, Operation time : 10 hour, No of aperture: 5, Dustproof : yes, Resuable specula: yes, Dimension: W-4cm,H-18cm, Weight-250g	0.000	0.000	14994.000	0.000	0.000	0.000	45580.000	0.000	14500.000
117.	Littmann Stethoscope	Set	Type: Acoustic, Color: black edition, Two-sided chest piece, Single Lumen Tube, Tunable Diaphragm:yes, Biaual coating: Chrome plated, Tubing material: Latex rubber,	0.000	0.000	19994.000	9500.000	0.000	0.000	26700.000	0.000	12500.000

117.	Surgical headlamp	Set	Brand Name: OTICA LED headlight, Installation position: centre, LED light, Model Number: 5W LED Headlight for ENT surgery, Vehicle model name: classic	0.000	0.000	79994.000	0.000	0.000	0.000	11150.000	0.000	5500.000
118.	Pregnancy diagnostic kits	Set	NA	0.000	0.000	9994.000	0.000	0.000	0.000	124500.000	0.000	350.000
119.	Rapid test kits for various diseases	Set	NA	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	550.000
				1755330.000	3448078.000	7037807.000	1462330.000	86795.000	3976141.970	2486627.800	3270498.400	1865039.550