

Comparative Statement of RWS material 2019-20

Hardware Items BOQ 2019-20 Bjena Gewog Adm. Wangdue, 13 km Wangdue Town												
				Supplier Name		Supplier Name		Supplier Name		Supplier Name		
				K.Norkhel Enterprise, Thimphu		K.Norkhel Supply , kuruthang		R.k.enterprise, thimphu		Phuentsho Ngadhen Enterprise, Wangdue		
Sl No	DESCRIPTION	Unit	qty	Rate in figure	Amount	Rate in figure	Amount	Rate in figure	Amount	Rate in figure	Amount	Rate not quoted K norkhel Supplier Punakha
	Note :-Please read the description many change in specification from the ealier one.											
1	GI pipe, Medium duty IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanised and chamfered. Socketed on one end and other end covered with heavy duty HDP thread pro.											
1.1	2"diameter	meter	1.0	430	430	455	455	609	609	457	457	
1.2	1.5" diameter	meter	1.0	322	322	347	347	449	449	347	347	
1.3	1" diameter	meter	1.0	219	219	227	227	319	319	325	325	
1.4	1/2" mm diameter	meter	1.0	135	135	157	157	199	199	147	147	
2	Flange setHeavy Duty,Gi Plate thinckness 15mm with 4 hole of 16mm and threaded 30mm long/ gasket washer. 4 nos Nut& bolts											
2.1	90 mm x 3"	set	1.0	850	850	850	850	1249	1249	750	750	
2.2	63 mm x 2 "	set	1.0	645	645	550	550	995	995	650	650	
2.3	50 mm x 1 1/2 "	set	1.0	565	565	450	450	749	749	600	600	
3	Bhutan Made HDPE Coupling above 12 PN											
3.1	63 mm diameter	each	1.0	845	845		0	499	499	628	628	499
3.2	50 mm diameter	each	1.0	335	335		0	399	399	416	416	355
3.3	40 mm diameter	each	1.0	205	205		0	329	329	288	288	205

3.4	32mm diameter	each	1.0	140	140		0	299	299	230	230	140
3.5	25 mm diameter	each	1.0	113	113		0	229	229	206	206	113
3.6	20mm diameter	each	1.0	85	85		0	199	199	160	160	85
4	GI Bends, High Pressure duty IS 1879:1987 Heavey duty Nezone Brands											
4.1	2 " x 45°	each	1.0	350	350	560	560	544	544	245	245	
4.2	2 " x 22.5°	each	1.0	375	375	580	580	544	544	245	245	
4.3	1 1/2 " x 22.5°	each	1.0	265	265		0	274	274	55	55	265
4.4	1 1/2 " x 45°	each	1.0	295	295		0	274	274	30	30	295
5	GI Elbow, High Pressure duty IS 1879:1987(- heavey duty BSB approved Brands)											
5.1	2 "	each	1.0	283	283	247	247	189	189	251	251	
5.2	1 1/2 "	each	1.0	148	148	155	155	153	153	155	155	
5.3	1"	each	1.0	73	73	69	69	74	74	75	75	
5.4	1/2 "	each	1.0	30	30	28	28	31	31	35	35	
6	GI Nipple 100mm to 150mm long, High Pressure duty IS 1879:1987(- heavey duty Kholi made Brands)											
6.1	3 " diameter	each	1.0	427	427	274	274	3104	3104	375	375	
6.2	2" diameter	each	1.0	180	180	120	120	1307	1307	235	235	
6.3	1.5 " diameter	each	1.0	135	135	96	96	979	979	175	175	
6.4	1" diameter	each	1.0	81	81	54	54	588	588	125	125	
6.5	1/2 " diameter	each	1.0	30	30	30	30	329	329	75	75	
7	GI Hex Nipple , High Pressure duty S 1879:1987(- Kholi Brands											
7.1	1" diameter	each	1.0	70	70	85	85	72	72	95	95	
7.2	1/2" diameter	each	1.0	65	65	47	47	30	30	75	75	
8	GI Tank Nipple , High Pressure duty S 1879:1987(- heavey duty BSB approved Brands) with washer											
8.1	1.5 " diameter	each	1.0	277	277	350	350	284	284	295	295	

8.2	1" diameter	each	1.0	149	149	250	250	154	154	185	185	
8.3	1/2 " diameter	each	1.0	65	65	47	47	67	67	89	89	
9	GI Reducer, High Pressure duty IS 1879:1987(- heavy duty BSB approved Brands)											
9.1	2" x 1.5" diameter	each	1.0	166	166	177	177	169	169	185	185	
9.2	1.5" x 1" diameter	each	1.0	113	113	121	121	115	115	175	175	
9.3	1" x .5" diameter	each	1.0	62	62	60	60	64	64	95	95	
10	GI Socket, High Pressure duty IS 1879:1987(- heavy duty BSB approved Brands)											
10.1	2 " diameter	each	1.0	166	166	177	177	169	169	185	185	
10.2	1.5 " diameter	each	1.0	113	113	121	121	115	115	175	175	
10.3	1" diameter	each	1.0	62	62	60	60	64	64	195	195	
10.4	.5 " diameter	each	1.0	29	29	28	28	29	29	65	65	
11	GI Cap Plug , High Pressure dutyIS 1879:1987(- heavy duty BSB approved Brands)											
11.1	1" diameter	each	1.0	57	57	22	22	59	59	61	61	
11.2	3/4" diameter	each	1.0	37	37	32	32	39	39		0	
11.3	1/2" diameter	each	1.0	25	25	50	50	26	26	1250	1250	
12	GI Equal Tee, High Pressure dutyIS 1879:1987(- heavy duty BSB approved Brands)											
12.1	2" diameter	each	1.0	367	367	345	345	374	374	375	375	
12.2	1.5 " diameter	each	1.0	221	221	211	211	227	227	95	95	
12.3	1" diameter	each	1.0	100	100	99	99	102	102	75	75	
12.4	1/2" diameter	each	1.0	46	46	67	67	47	47	55	55	
13	GI Un- Equal Tee, High Pressure duty IS 1879:1987(- heavy duty BSB approved Brands)											
13.1	3 " x 3 " x 1/2 "	each	1.0	787	787	565	565	807	807	765	765	
13.2	2 " x 2 " x 1/2 "	each	1.0	367	367	345	345	374	374	375	375	
13.3	1 1/2 " x 1 1/2 " x 1/2 "	each	1.0	221	221	211	211	227	227	265	265	

13.4	1 " x 1 " x 1/2 "	each	1.0	100	100	99	99	102	102	115	115	
14	GI Union , High Pressure duty IS 1879:1987(- heavy duty BSB approved Brands)											
14.1	3 " GI Unions	each	1.0	1037	1037	1800	1800	1063	1063	995	995	
14.2	2 " GI Unions	each	1.0	427	427	417	417	438	438	625	625	
14.3	1 1/2 " GI Unions	each	1.0	328	328	307	307	337	337	515	515	
14.4	1 " GI Unions	each	1.0	187	187	1069	169	192	192	195	195	
14.5	1/2 " GI Unions	each	1.0	85	85	77	77	87	87	95	95	
15	Valves & CockIS 1879:1987(- heavy duty BSB approved Brands)											
15.1	3" diameter	each	1.0	4506	4506	4500	4500	5179	5179	13800	13800	
15.2	2.5" diameter	each	1.0	3006	3006	3840	3840	3444	3444	11200	11200	
15.3	2" diameter	each	1.0	2210	2210	2499	2499	2534	2534	7500	7500	
15.4	1.5" diameter	each	1.0	1422	1422	1495	1495	1629	1629	3200	3200	
15.5	1" diameter	each	1.0	700	700	788	788	804	804	1250	1250	
15.6	3/4" diameter	each	1.0	486	486	550	550	559	559	995	995	
15.7	1/2" diameter	each	1.0	348	348	407	407	384	384	750	750	
16	Brass Globe Valve IS 1879:1987(- heavy duty BSB approved Brands)											
16.1	1" diameter		1.0	551	551	675	675	585	585	3500	3500	
16.2	.5" diameter	each	1.0	245	245	450	450	319	319	795	795	
17	Tapstand Regulating Valve set with key IS 1879:1987(Kholi G made Brands - heavy duty)											
17.1	1/2" diameter	each	1.0	445	445	450	450	464	464	675	675	
18	Forged Brass Air release Valve IS 1879:1987(Zoloto made Brands - heavy duty)											
18.1	1.5 " diameter	each	1.0	1600	1600	1450	1450	1949	1949	2315	2315	
18.2	1" diameter	each	1.0	1280	1280	1450	1450	1549	1549	1915	1915	
18.3	.5 " diameter	each	1.0	1280	1280	499	499	1349	1349	0	0	

19	Forged brass ball Bib Cock with Hose union 15mm Zoloto	each	1.0	665	665	599	599	1549	1549	0	0	
20	Steel Float Valve.Copper or brass made. Min. wt ... +20gms, -0gm See attached PHED drawing for detail specification. PIC made Brand to withstand presure upto 200 meter											
20.1	1.5 " diameter	each	1.0	2445	2445	2699	2699	3549	3549	3100	3100	
20.2	1 " diameter	each	1.0	1750	1750	1777	1777	1779	1779	2500	2500	
20.3	.5 " diameter	each	1.0	1345	1345	1347	1347	1409	1409	1450	1450	
21	GI Valves As per PHE sample and drawing, Medium GI pipe 4"	Each	1.0	1450	1450	1550	1550	8949	8949	12475	12475	
22	Valve box key 2" to 1" with 3 pointsAs per PHE sample and drawing	each	1.0	275	275	850	850	1499	1499	2625	2625	
23	GI threaded single Flange 2" of Heavy dutyBSB approved brands heavey duty(Plate Thickness is 12mm and Thread length should be 20mm long.	each	1.0	305	305	375	375	349	349	675	675	
24	Wire NailGalvanised wire nails sharpened 2 " t0 4"	kg	1.0	67	67	70	70	69	69	65	65	
25	Nails - U 8 SWG H=35 mm, W=10 mm Sharpened heavy duty	kg	1.0	85	85	110	110	119	119	115	115	
26	Prefabricated manhole Cover & Slab (680mm x680mm outer and inner dia. 580mm including M 12- 50cm long two G.I nuts and bolt with washer) finish with two coat of red primer	set	1.0	1475	1475	1350	1350	1749	1749	3700	3700	
27	Rebar MS Rod torsteel bars, IS : 1786/1985, Grade FE415, Fe500TOR 8mm/ 10mm	kg	1.0	56	56	59	59	62	62	73	73	
28	Plastic sheet for spring protection (thick)	mtr	1.0	55	55	55	55	69	69	75	75	
29	Barbed wire Gauge 12 SWG double wired,barbed 90 degrees angle, every 10 cm, galvanized (IS: 278/1969). In roll of 30 kg weight tolerance +3 kg, - 0 kg	kg	1.0	2165	2165	76	76	79	79	93	93	

30	Wire, GI binding (galvanized) Gauge 22 SWG. In roll of 1kg	kg	1.0	92	92	107	107	119	119	105	105	
31	Wire Mesh 2mm square opening. In roll of 25m. (BSB approved brands)	mtr	1.0	215	215	220	220	199	199	295	295	
32	Wire, mesh chicken 18 SWG , hexagonal 15 mm, 11/2" full twist, double string at side, width 1.20 metre . in rolls of 25 m (BSB approved Brands)	mtr	1.0	75	75	69	69	49	49	85	85	
33	Wire,Plain Gauge steel made 8 SWG with light galvanized coating. In rolls of 50 kg, weight tolerance of +3 kg, -0 kg. Tata wire	kg	1.0	87	87	107	107	99	99	99	99	
34	Blade, hacksaw double side IS 2594:1976	each	1.0	13	13	14	14	12	12	13	13	
35	Hacksaw frame (Standard)BSB approved Brands (Indera Made	each	1.0	180	180	160	160	184	184	275	275	
36	Heating Plate, As per sample, round dia 150 mm, thickness 12mm, handle 420mm with insulating grip, Brand: Deek's Firefly	each	1.0	895	895	1250	1250	2949	2949	2975	2975	
37	Pliers 8 " BSB approved Brands	each	1.0	230	230	199	199	249	249	250	250	
38	M.S Angle 60mmx60mmx6mm with all required holes as per our drawing and two coat red oxide painting	Kg	1.0	79	79	68	68	82	82	73	73	
39	Measuring tape BSB approved brands 30 mtr length Scale in cm & inches FIBRE WATER PROOF-	each	1.0	342	342	399	399	349	349	575	575	
40	Measuring tape metal 5 mtr length Scale in cm & inches (double width) freeman (with Spririt Level)	each	1.0	160	160	170	170	129	129	165	165	
41	Spirit Level 24" long Three bubble type level, 24" long with ISO standard) 3 leveling system	each	1.0	375	375	399	399	1249	1249	325	325	
42	Teflon cover. For 125 mm & 250 mm heating plate	each	1.0	165	165	250	250	1999	1999	175	175	
43	Thermochrome crayon Indicating 200 °C Import quality, Approved brands: Faber Caste	each	1.0	250	250	250	250	994	994	260	260	

44	Tin cutter Heavy duty BSB approved Brands	each	1.0	345	345	350	350	479	479	365	365	
45	Pipe Wrench Indera made											
45.1	36 " long	each	1.0	2055	2055	2500	2500	3349	3349	5700	5700	
45.2	24 " long	each	1.0	855	855	1200	1200	1349	1349	3500	3500	
45.3	12 " 14 and 18 " long	each	1.0	525	525	950	950	949	949	2795	2795	
46	Rachet Die set Indera made											
46.1	1/2" to 1" diameter	set	1.0	2445	2445	2500	2500	2649	2649	2975	2975	
46.2	5/4" to 2" diameter	Set	1.0	4601	4601	6500	6500	4999	4999	6955	6955	
47	GI Threaded Pipe both ends IS 1239/90 longitudinally welded mild steel, hot dipped galvanised as per IS 4736/68, both ends male threads BS 21 and greased.End covered with heavy duty HDP thread pro (Medium Duty) Kholi brands Brands/ Bansal H/duty treaded in Bhutan											
48.1	0.50"- 0.15 m Long (Kholi Brands)	Pcs	1.0	48	48	47	47	54	54	55	55	
48.2	0.50"- 0.20 m Long(Kholi Brands)	Pcs	1.0	64	64	55	55	82	82	70	70	
48.3	0.50"- 0.25 m Long (Kholi Brands)	Pcs	1.0	80	80	80	80	109	109	80	80	
48.4	0.50"- 0.40 m Long	Pcs	1.0	128	128	90	90	145	145	85	85	
48.5	0.50"- 0.45 m Long	Pcs	1.0	144	144	95	95	164	164	90	90	
48.6	0.50"- 0.80m Long	Pcs	1.0	256	256	240	240	290	290	350	350	
48.7	0.50"- 1.00 m Long	Pcs	1.0	320	320	380	380	327	327	395	395	
48.8	0.50"- 1.20 m Long	Pcs	1.0	384	384	447	447	435	435	450	450	
48.9	0.50"- 1.30 m Long	Pcs	1.0	416	416	487	487	472	472	475	475	
48.10	0.50"- 1.45 m Long	Pcs	1.0	464	464	495	495	519	519	525	525	
48.11	0.50"- 1.50 m Long	Pcs	1.0	480	480	510	510	535	535	550	550	
48.12	0.50"- 1.60 m Long	Pcs	1.0	512	512	520	520	572	572	595	595	
48.13	0.50"- 1.70 m Long	Pcs	1.0	544	544	547	547	609	609	595	595	
48.14	0.50"- 1.80 m Long	Pcs	1.0	576	576	585	585	644	644	595	595	
48.15	0.50"- 1.90 m Long	Pcs	1.0	608	608	610	610	679	679	610	610	

48.16	0.50"- 2.00 m Long	Pcs	<i>1.0</i>	640	640	680	680	719	719	650	650	
48.17	0.50"- 2.10 m Long	Pcs	<i>1.0</i>	672	672	700	700	745	745	695	695	
48.18	1" - 0.15 m Long	Pcs	<i>1.0</i>	86	86	95	95	94	94	950	950	
48.19	1" - 0.20 m Long	Pcs	<i>1.0</i>	115	115	108	108	139	139	120	120	
48.20	1" - 0.25 m Long	Pcs	<i>1.0</i>	144	144	150	150	188	188	135	135	
48.21	1" - 0.40 m Long	Pcs	<i>1.0</i>	230	230	250	250	249	249	165	165	
48.22	1" - 0.45 m Long	Pcs	<i>1.0</i>	260	260	280	280	279	279	195	195	
48.23	1" - 0.50 m Long	Pcs	<i>1.0</i>	288	288	320	320	309	309	295	295	
48.24	1" - 0.65 m Long	Pcs	<i>1.0</i>	375	375	360	360	407	407	310	310	
48.25	1" - 0.80 m Long	Pcs	<i>1.0</i>	460	460	390	390	499	499	375	375	
48.26	1" - 1.30 m Long	Pcs	<i>1.0</i>	748	748	450	450	849	849	425	425	
48.27	1" - 1.50 m Long	Pcs	<i>1.0</i>	864	864	580	580	954	954	475	475	
48.28	1" - 1.60 m Long	Pcs	<i>1.0</i>	920	920	670	670	1029	1029	485	485	
48.29	1" - 1.80 m Long	Pcs	<i>1.0</i>	1036	1036	950	950	1159	1159	495	495	
48.30	1" - 2.10 m Long	Pcs	<i>1.0</i>	1209	1209	1105	1105	1349	1349	625	625	
48.31	1.50" - 0.15 m Long	Pcs	<i>1.0</i>	144	144	90	90	154	154	175	175	
48.32	1.50" - 0.20 m Long	Pcs	<i>1.0</i>	192	192	120	120	234	234	185	185	
48.33	1.50" - 0.25 m Long	Pcs	<i>1.0</i>	240	240	150	150	234	234	195	195	
48.34	1.50" - 0.30 m Long	Pcs	<i>1.0</i>	288	288	180	180	309	309	225	225	
48.35	1.50" - 0.40 m Long	Pcs	<i>1.0</i>	384	384	210	210	418	418	275	275	
48.36	1.50" - 0.45 m Long	Pcs	<i>1.0</i>	432	432	250	250	469	469	295	295	
48.37	1.50" - 0.50 m Long	Pcs	<i>1.0</i>	480	480	270	270	519	519	325	325	
48.38	1.50" - 0.65 m Long	Pcs	<i>1.0</i>	624	624	380	380	679	679	335	335	
48.39	1.50" - 0.70 m Long	Pcs	<i>1.0</i>	672	672	480	480	729	729	345	345	
48.40	1.50" - 0.80 m Long	Pcs	<i>1.0</i>	768	768	530	530	869	869	365	365	
48.41	1.50" - 1.30 m Long	Pcs	<i>1.0</i>	1170	1170	650	650	1415	1415	495	495	
48.42	1.50" - 1.50 m Long	Pcs	<i>1.0</i>	1350	1350	780	780	1604	1604	525	525	
48.43	1.50" - 1.60 m Long	Pcs	<i>1.0</i>	1536	1536	820	820	1709	1709	625	625	
48.44	1.50" - 1.80 m Long	Pcs	<i>1.0</i>	1620	1620	900	900	1929	1929	715	715	
48.45	1.50" - 2.10 m Long	Pcs	<i>1.0</i>	1890	1890	1050	1050	2259	2259	810	810	

48.46	2.00" - 0.25 m Long	Pcs	<i>1.0</i>	300	300	210	210	349	349	235	235	
48.47	2.00" - 0.30 m Long	Pcs	<i>1.0</i>	360	360	420	420	419	419	399	399	
48.48	2.00" - 0.40 m Long	Pcs	<i>1.0</i>	480	480	490	490	554	554	595	595	
48.49	2.00" - 0.45 m Long	Pcs	<i>1.0</i>	540	540	560	560	627	627	595	595	
48.50	2.00" - 0.50 m Long	Pcs	<i>1.0</i>	600	600	590	590	724	724	595	595	
48.51	2.00" - 0.65 m Long	Pcs	<i>1.0</i>	780	780	650	650	944	944	875	875	
48.52	2.00" - 0.80 m Long	Pcs	<i>1.0</i>	960	960	710	710	1159	1159	895	895	
48.53	2.00" - 0.90 m Long	Pcs	<i>1.0</i>	1080	1080	780	780	1309	1309	1215	1215	
48.54	2.00" - 1.00 m Long	Pcs	<i>1.0</i>	1200	1200	810	810	1449	1449	1315	1315	
48.55	2.00" - 1.10 m Long	Pcs	<i>1.0</i>	1320	1320	900	900	1599	1599	1500	1500	
48.56	2.00" - 1.25 m Long	Pcs	<i>1.0</i>	1500	1500	970	970	1815	1815	1600	1600	
48.57	2.00" - 1.30 m Long	Pcs	<i>1.0</i>	1560	1560	1010	1010	1889	1889	1650	1650	
48.58	2.00" - 1.40 m Long	Pcs	<i>1.0</i>	1680	1680	1040	1040	2029	2029	1750	1750	
48.59	2.00" - 1.50 m Long	Pcs	<i>1.0</i>	1800	1800	1090	1090	2139	2139	1900	1900	
48.60	2.00" - 1.60 m Long	Pcs	<i>1.0</i>	1920	1920	1150	1150	2284	2284	1900	1900	
48.61	2.00" - 1.70 m Long	Pcs	<i>1.0</i>	2070	2070	1220	1220	2429	2429	1900	1900	
48.62	2.00" - 1.75 m Long	Pcs	<i>1.0</i>	2100	2100	1290	1290	2504	2504	2100	2100	
48.63	2.00" - 1.80 m Long	Pcs	<i>1.0</i>	2160	2160	1320	1320	2579	2579	2100	2100	
48.64	2.00" - 1.95 m Long	Pcs	<i>1.0</i>	2340	2340	1400	1400	2795	2795	2100	2100	
48.65	2.00" - 2.00 m Long	Pcs	<i>1.0</i>	2400	2400	1440	1440	2867	2867	2700	2700	
48.66	2.00" - 2.10 m Long	Pcs	<i>1.0</i>	2520	2520	1500	1500	3009	3009	2700	2700	
48.67	2.00" - 2.50 m Long	Pcs	<i>1.0</i>	3000	3000	1550	1550	3594	3594	2900	2900	
48.68	2.00" - 2.80 m Long	Pcs	<i>1.0</i>	3360	3360	1620	1620	4029	4029	2900	2900	
48.69	2.00" - 2.95 m Long	Pcs	<i>1.0</i>	3540	3540	1750	1750	4249	4249	2995	2995	
48.70	3.00" - 0.30 m Long	Pcs	<i>1.0</i>	855	855	1850	1850	1034	1034	736	736	
48.71	3.00" - 0.35 m Long	Pcs	<i>1.0</i>	997	997	540	540	1209	1209	775	775	
48.72	3.00" - 0.40 m Long	Pcs	<i>1.0</i>	1140	1140	590	590	1379	1379	775	775	
48.73	3.00" - 0.45 m Long	Pcs	<i>1.0</i>	1282	1282	680	680	1549	1549	775	775	
48.74	3.00" - 0.50 m Long	Pcs	<i>1.0</i>	1425	1425	790	790	1724	1724	775	775	
48.75	3.00" - 0.65 m Long	Pcs	<i>1.0</i>	1852	1852	950	950	2234	2234	775	775	

48.76	3.00" - 0.80 m Long	Pcs	1.0	2280	2280	1090	1090	2759	2759	795	795	
48.77	3.00" - 1.50m Long	Pcs	1.0	4275	4275	1200	1200	5084	5084	995	995	
48.78	3.00" - 1.60m Long	Pcs	1.0	4560	4560	1400	1400	5429	5429	995	995	
48.79	3.00" - 1.80m Long	Pcs	1.0	5130	5130	1860	1860	6129	6129	1995	1995	
48.80	3.00" - 2.10 m Long	Pcs	1.0	5985	5985	2300	2300	7155	7155	2300	2300	
48.81	3.00" - 2.95 m Long	Pcs	1.0	8407	8407	2700	2700	10085	10085	2600	2600	
48.82	4.00" - 0.40 m Long	pcs	1.0	2100	2100	1300	1300	2539	2539	1995	1995	
48.83	4.00" - 0.45 m Long	pcs	1.0	2362	2362	1500	1500	2859	2859	1995	1995	
48.84	4.00" - 0.50 m Long	pcs	1.0	2625	2625	2840	2840	3175	3175	1995	1995	
48.85	4.00" - 0.65 m Long	pcs	1.0	3245	3245	2950	2950	4129	4129	1995	1995	
48.86	4.00" - 0.80 m Long	pcs	1.0	4200	4200	3060	3060	5084	5084	2995	2995	
48.87	4.00" - 1.60 m Long	pcs	1.0	8400	8400	3500	3500	10005	10005	2995	2995	
48.88	4.00" - 1.80 m Long	pcs	1.0	9072	9072	3800	3800	11275	11275	2995	2995	
48.89	4.00" - 2.10 m Long	pcs	1.0	9660	9660	4500	4500	13179	13179	3500	3500	
49.0	HDPE made Water Tank Raptan Made,including lead cover											
49.1	3000 litre	Each	1.0	21500	21500	22000	22000	27500	27500	35000	35000	
49.2	2000 litre	Each	1.0	14200	14200	14200	14200	16800	16800	25000	25000	
49.2	1000 litre	Each	1.0	7200	7200	7200	7200	8044	8044	15000	15000	
	Grand Total lots rate NU				244674.00		185626.0		309421.00		283450.00	1957.0

Evaluation Committee

Gup, Phangul

RWSS , Focal Person

Gup Nyisho

Tender Awarding Committee

Gup Nyisho

Gup

Bjena

Mangmi Bjena

GAO, Phangyul