



དཔལ་ལྷན་འབྲུག་གཞུང་། དབང་ལྷུང་ཤོང་རྩེ།
ROYAL GOVERNMENT OF BHUTAN
DZONGKHAG ADMINISTRATION
WANGDUE PHODRANG
ECONOMIC DEVELOPMENT UNIT



DAW/EDO-06/2022-2023/ 2748

02-11-2022

Notification for Entertainment centers under category A within Bajo Throm

The Dzongkhag Entertainment Licensing Committee (ELC) of Wangdue Phodrang would like to inform following to all the owners of Entertainments establishments under category A:

1. ELC would like to inform all the owners of entertainment establishments (as per the annexure) to kindly make the necessary rectifications as per the technical standards requirement checklist stated in the "*Rules and Regulations for the places of Entertainment 2022*".
2. All the rectification work should be completed latest by 30th November, 2022.
3. Further, ELC would like to request all entertainment center owners to operate the business in strict compliance as per the *Rules and Regulations for the places of Entertainment 2022*.

Note: This notification is issued as per the inspection report shared by Regional Office of Economic Affairs, Thimphu vide no RoEA/THP-02(14)/2022-23/1696 dated 28/10/2022.


Chairman

Dzongkhag Entertainment Licensing Committee

Wangdue Phodrang

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Tshewang Phuntscho
 Name of the establishment: Destiny Snooker (1044815)
 Specific location: Bajo Town
(77637575)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper sound proof.
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.			only 1
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		Kitchen has to be fully converted to smoking room
6	First Aid Box and waste collections bins provided at appropriate locations.			no first aid box

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Gini Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tshering Tashi Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangmo Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

[Signature]

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Sonam
 Name of the establishment: Rainbow Snooker (license under process)
 Specific location: Bajo town Dzongkhag has already given the recommendation)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.			Only 1
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smokingroom" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
6	First Aid Box and waste collections bins provided at appropriate locations.	✓		

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tshering Tashi Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangma Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Gyem Yeshi Wangmo
 Name of the establishment: Yeshi Snooker
 Specific location: Baja Town (license under process)
179660348

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		only 1
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smokingroom" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.		✓	
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature

(2) Name Cheki Wangchuk Organization Municipal Signature [Signature]

(3) Name Ishering Tashi Organization DAW Signature [Signature]

(4) Name Sangay Dabba Organization BCCI Signature [Signature]

(5) Name Dechen Organization BNCA Signature [Signature]

(6) Name Dechen Wangma Organization DAW Signature [Signature]

(7) Name Organization Signature

ELC's Recommendation:

.....
.....
.....

Chairman

[Signature]

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Samdrup Tshering
 Name of the establishment: ST Snookers (1042675)
 Specific location: Baja Town
(77417135)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.	✓		
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.		✓	
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tsheing Tash Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangmo Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

[Signature]

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Dechen Tshomo
 Name of the establishment: Zhen.phen Snooker (1040536)
 Specific location: Bajo Town
(17803574)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.	✓		
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		Need to cover the upper part to prevent smoke coming to the play area.
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	no box except for the medicines

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

(2) Name Cheki Wangchuk Organization Municipal Signature [Signature]

(3) Name Tsheering Tashi Organization DAW Signature [Signature]

(4) Name Sangay Dabba Organization BCCI Signature [Signature]

(5) Name Dechen Organization BNCA Signature [Signature]

(6) Name Dechen Wangmo Organization DAW Signature [Signature]

(7) Name Organization Signature

ELC's Recommendation:

.....
.....
.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Ugyen
 Name of the establishment: Ugyen Fungs Snooker (104.6.078)
 Specific location: Bap Town
(17645404)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.	✓		Need to replace with a larger one
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
6	First Aid Box and waste collections bins provided at appropriate locations.	✓		

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

(2) Name Cheki Wangchuk Organization Municipal Signature [Signature]

(3) Name Tshering Tashi Organization DAW Signature [Signature]

(4) Name Sangay Dabba Organization BCCI Signature [Signature]

(5) Name Dechen Organization BNCA Signature [Signature]

(6) Name Dechen Wangmo Organization DAW Signature [Signature]

(7) Name Organization Signature

ELC's Recommendation:

.....
.....
.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Aruna Pithakoti

Name of the establishment: Arvin 147 Snooker (1041878)

Specific location: Bajo Town

(17526325)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		Down floor
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.	✓		
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Dorba Guri Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tshering Tashi Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangmo Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

[Signature]

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Bhim Bdr. Bista Chhetri

Name of the establishment: RC Snooker (1044611)

Specific location: Bajo Town
(77380146)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		Need to put up exhaust fan
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

(2) Name Cheki Wangchuk Organization Municipal Signature [Signature]

(3) Name Tshering Tashi Organization DAW Signature [Signature]

(4) Name Sangay Dabba Organization BCC Signature [Signature]

(5) Name Dechen Organization BNCA Signature [Signature]

(6) Name Dechen Wangmo Organization DAW Signature [Signature]

(7) Name Organization Signature

ELC's Recommendation:

.....
.....
.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

(Ownership transfer under process)

Name of the applicant: ...Damchoe Wangchuk.....

Name of the establishment: ...D. Wangchuk Snooker (1039814).....

Specific location: ...Bajo Town.....






(17811904)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.		✓	
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification: ...20/10/22.....

Inspection carried out by:

(1) Name Dorba Giri..... Organization RoEA..... Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature 
- (3) Name Tshering Tashi Organization DAW Signature 
- (4) Name Sangay Dabba Organization BCCI Signature 
- (5) Name Dechen Organization BNCA Signature 
- (6) Name Dechen Wangmo Organization DAW Signature 
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

Name of the applicant: Phaguman Subba

Name of the establishment: Cue 47 Snooker (1046263)

Specific location: Bajo Town
(17428731)

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
6	First Aid Box and waste collections bins provided at appropriate locations.	✓		

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Dorba Giri Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tshering Tashi Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangmo Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

Checklist for Snooker (This checklist must be read in conjunction with detailed technical standards mentioned in Schedule A (II))

(Need to change ownership)

Name of the applicant: Sonam Dhendup

Name of the establishment: FRNX Play Zone Snooker (1041898)

Specific location: Bajo Town

Sl. No	Check List	Yes	No	Remark
1	The playroom has adequate sound proof, air ventilation and lighting system.	✓		No Proper Sound Proof
2	Has a comfortable ambience, adequate and comfortable sitting facilities with appropriate furniture.	✓		
3	Adequate toilets with proper amenities for male and female. The toilets are kept clean and in good operation with constant flow of running water during the operating hours.	✓		
4	A fire alarm system or automatic fire detection mechanism is installed to minimize the risk and hazards. The hall is also installed with portable firefighting equipment for emergency use.		✓	
5	The entertainment area including guest area is a "no smoking area" and it has constructed a designated "smoking room" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		Needs improvement
6	First Aid Box and waste collections bins provided at appropriate locations.		✓	

Date of verification: 20/10/22

Inspection carried out by:

(1) Name Durba Giri Organization RoEA Signature [Signature]

- (2) Name Cheki Wangchuk Organization Municipal Signature [Signature]
- (3) Name Tshering Tashi Organization DAW Signature [Signature]
- (4) Name Sangay Dabba Organization BCCI Signature [Signature]
- (5) Name Dechen Organization BNCA Signature [Signature]
- (6) Name Dechen Wangmo Organization DAW Signature [Signature]
- (7) Name Organization Signature

ELC's Recommendation:

.....

.....

.....

Chairman

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 1048830 Specific activity: Discotheque Mobile No: 17662205

Establishment Name: Zanyang Club Specific location: Bayo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		<u>NO exit</u>
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening			<u>NO exit Door</u>
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			<u>NO proper sound proof</u>
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.	✓		
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).			<u>Share with Karaoke.</u>
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.		✓	
8	Adequate toilets with proper amenities for male and female.			<u>Share with Karaoke</u>
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras			<u>---</u>
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.		✓	
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.		✓	
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations			<u>NO kitchen</u>
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
	If No, then details of violation:			
16	Other Violation:			<u>NO</u>
17	Was the entertainment centre on Fronting		✓	
	If Yes, then details of operator:			

Date of inspection: 19/10/2022 Inspection carried out by:

(1) Name Durba Giri Organization: ROEA, MoEA

Signature [Signature]

(2) Name Dechen Wangmo Organization: EDO BAFRA

Signature [Signature]

(3) Name Tshering Tashi Organization: IT BNCA

Signature [Signature]

(4) Name Gangay Dabba Organization: BCCI Thromde

Signature [Signature]

(5) Name Yangka Organization: RBP

Signature [Signature]

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 1043012 Specific activity: Karaoke Mobile No: 1772 1614

Establishment Name: Pangkhab Karaoke Specific location: Bayo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		No Bouncer
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening			Only Entrance
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes	✓		No Proper sound proof
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.	✓		
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).	✓		only one fire extinguisher
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.	✓		
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		No Exhaust fan
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.		✓	
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations	✓		
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
15	If No, then details of violation:			NO
16	Other Violation:			
17	Was the entertainment centre on Fronting (suspected Fronting MBOB in the name of Mr. Lhatu Lhatu)			
17	If Yes, then details of operator: CID NO- 17915001566, Acc No: 102955626			

Date of inspection: 19/10/2022 Inspection carried out by:

(1) Name Dhurba Giri Organization: ROEA, MoEA

Signature: [Signature]

(2) Name Dechen Wangmo Organization: EDO BAFRA

Signature: [Signature]

(3) Name Tshering Tashi Organization: IT BNCA

Signature: [Signature]

(4) Name Sangay Dabba Organization: BCCI Thromde

Signature: [Signature]

(5) Name Yangks Organization: RBP

Signature: [Signature]

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 1040563 Specific activity: Karaoke Mobile No: 17116832

Establishment Name: Punatshangchu lounge Karaoke Specific location: Bajo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening			NO Exit
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			NO proper Sound Proof
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.	✓		
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).			only one fire extinguisher.
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.	✓		
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.		✓	
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations			Restaurant for drinks only
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
16	If No, then details of violation:			
16	Other Violation:			
17	Was the entertainment centre on Fronting	L Suspected Fronting run by Mrs. Nangay Wangmo		
17	If Yes, then details of operator:	CID No. 1100 4000392, 77224464		

Date of inspection: 19/10/2022 Inspection carried out by:

(1) Name Dhurba Gin Organization: ROEA, MoEA

Signature [Signature]

(2) Name Dechen Wangmo Organization: BAFRA

Signature [Signature]

(3) Name Tshering Tashi Organization: BAFRA

Signature [Signature]

(4) Name Sangay Dabba Organization: Thromde

Signature [Signature]

(5) Name Yangka Organization: RBP

Signature [Signature]

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 1046752 Specific activity: Live Music Club Mobile No: 17625558

Establishment Name: MST Live Music Club Specific location: Bajo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening	✓		only entrance
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			No Proper Sound proof
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow	✓		
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).			only one fire extinguisher
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.	✓		
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.			very congested smoking room
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.	✓		
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations	✓		only Restaurant for drinks
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
	If No, then details of violation:			
16	Other Violation:			
17	Was the entertainment centre on Fronting		✓	
	If Yes, then details of operator:			

Date of inspection: 19/10/2022 Inspection carried out by:

- | | | |
|--------------------------------|------------------------------------|------------------------------|
| (1) Name <u>Dheerba Gini</u> | Organization : <u>ROEA, MoEA</u> | Signature <u>[Signature]</u> |
| (2) Name <u>Dechen Wangmo</u> | Organization : <u>EDO BAFRA</u> | Signature <u>[Signature]</u> |
| (3) Name <u>Tshering Tashi</u> | Organization : <u>IT BNCA</u> | Signature <u>[Signature]</u> |
| (4) Name <u>Sangay Dabba</u> | Organization : <u>BCCI Thromde</u> | Signature <u>[Signature]</u> |
| (5) Name <u>Yangka</u> | Organization : <u>RBP</u> | Signature <u>[Signature]</u> |

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 10488303 Specific activity: Karaoke Mobile No: 17252784
16902075

Establishment Name: Zomyang Karaoke Specific location: Bayo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening	✓		No proper sound proof
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			No proper sound proof
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.			No proper ventilation
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).			only one fire extinguisher
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.			
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		No exhaust fan
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.		✓	
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations	✓		Restaurant only for drinks.
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
	If No, then details of violation:			
16	Other Violation:			
17	Was the entertainment centre on Fronting		✓	
	If Yes, then details of operator:			

Date of inspection... 19/10/2022 Inspection carried out by:

(1) Name Dhumba Giri Organization : ROEA, MoEA

Signature [Signature]

(2) Name Dechen Wangmo Organization : EDO
BAFRA

Signature [Signature]

(3) Name Tshering Tashi Organization : LT
BNCA

Signature [Signature]

(4) Name Sangay Dabba Organization : BCCI
Thromde

Signature [Signature]

(5) Name Yangka Organization : RBP

Signature [Signature]

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 1049357 1048907 Specific activity: Karaoke Mobile No: 17164331

Establishment Name: Euphoria Karaoke Specific location: Bajo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening	✓		<u>only entrance no exit</u>
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			<u>No Proper Sound proofed</u>
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.	✓		
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).	✓		<u>2 Nos. fire extinguishers</u>
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.	✓		
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.	✓		
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations			
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
	If No, then details of violation:			
16	Other Violation:			
	Was the entertainment centre on Fronting		✓	
17	If Yes, then details of operator:			

Date of inspection: 17/10/2022 Inspection carried out by:

(1) Name Dhurba Giri Organization : ROEA, MoEA Signature [Signature]

(2) Name Dechen Wangmo Organization : BAFRA Signature [Signature]

(3) Name Tshering Tashi Organization : BNCA Signature [Signature]

(4) Name Sangay Dabba Organization : Thromde Signature [Signature]

(5) Name Yangtse Organization : RBP Signature [Signature]

Inspection/ Monitoring Report for places of entertainment under category A

Licensee/ License No: 10488303 Specific activity: Karaoke Mobile No: 17252784
16902075

Establishment Name: Zomyang Karaoke Specific location: Bayo Town

Sl. No	Check List	Yes	No	Remark
1	Entry gates with proper security	✓		
2	Separate entrance and emergency exit with clear illumination sign. All doors were outward opening	✓		No proper sound proof
3	Fully sound proofed establishment - including walls, ceiling and entry/exit with appropriate insulations and other available modes.			No proper sound proof
4	Adequate ventilation system- either natural or artificial ventilation to provide adequate comfort and airflow.			No proper ventilation
5	The sound systems including loudspeakers or similar devices are installed and fitted properly to assure adequate safety. Adequate facilities like amplifiers, microphones and spotlights are installed.	✓		
6	Installed fire alarm system and adequate portable, all-time functioning, firefighting equipment. According to the size of the establishment not less than three (3) serviceable fire extinguishers with 5 liters capacity each, or the establishment is fitted with a fixed automatic sprinkler system (automatic fire detection system).			only one fire extinguisher
7	Separate comfortable resting room/lounge with well-equipped furniture and airflow in addition to stage or dancing spaces.	✓		
8	Adequate toilets with proper amenities for male and female.	✓		
9	Proper and guarded entry points with security cameras and entertainment halls fitted with CCTV cameras.			
10	Designated "smoking areas" as defined by Tobacco Control Act and its Rules & Regulations including professional air filter system like HEPA filter standards.	✓		NO exhaust fan
11	First Aid provisions with standard first aid materials for immediate use in case of incidents/accidents/injury and other sickness.		✓	
12	Food Safety & Hygiene maintained as per the BAFRA's Food Rules and Regulations	✓		Restaurant only for drinks.
13	Adequate and proper waste bins provided	✓		
14	Located at the basement of the building (for Discotheque only)	✓		
15	Was it operating as per the activity description	✓		
	If No, then details of violation:			
16	Other Violation:			
17	Was the entertainment centre on Fronting		✓	
	If Yes, then details of operator:			

Date of inspection... 19/10/2022 Inspection carried out by:

(1) Name Dhumba Giri Organization : ROEA, MoEA

Signature [Signature]

(2) Name Dechen Wangmo Organization : EDO
BAFRA

Signature [Signature]

(3) Name Tshering Tashi Organization : ET
BNCA

Signature [Signature]

(4) Name Sangay Dabba Organization : BCCI
Thromde

Signature [Signature]

(5) Name Yangka Organization : RBP

Signature [Signature]